






PRODUCT OVERVIEW



MADE IN AUSTRALIA

MINED - REFINED - EXTRUDED | FABRICATED - PAINTED - ASSEMBLED







• CONSULTANT: NDYLIGHT • ARCHITECT: GEYER • BUILDER: LENDLEASE • CONTRACTOR: NILSEN

MRS T RADII

SM | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 23w / 1755 lm p/mtr
HO 43w / 3441 lm p/mtr

LENS
OPAL V

INGRESS RATING
IP22



SLIM C

SUS | WALL | SM




FINISH
WHITE / BLACK / SILVER / CUST


LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 2203 lm p/mtr
HO 43w / 4321 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22





CONSULTANT: NDYLIGHT • ARCHITECT: DELOITTE x D • BUILDER: MIRVAC • CONTRACTOR: STOWE

SLIM H

SUS END CAP | WALL | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 44w / 4406 lm p/mtr
HO 86w / 8692 lm p/mtr
UP + DOWN LIGHT

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



MRS T SOFT

SM | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 1755 lm p/mtr
HO 43w / 3441 lm p/mtr



LENS
OPAL V
COMBO DG / ASY

INGRESS RATING
IP22



DEEP DOWN MINI

REC



FINISH
WHITE / BLACK / CUST


LAMP
TRIDONIC SLE 10mm

WATTAGE / CURRENT / LUMEN
10.4w / 250mA / 943 lm
14.2w / 350mA / 1250 lm

OPTICS
24° / 32° / 50°


INCLINATION / ROTATION
0-20° / 360°

INGRESS RATING
IP22



DEEP DOWN RT

SM



FINISH
WHITE / BLACK / DUAL


LAMP
TRIDONIC SLE 10mm

WATTAGE / CURRENT / LUMEN
10.4w / 250mA / 939 lm
14.2w / 350mA / 1233 lm

OPTICS
24° / 32° / 50°


INCLINATION / ROTATION
0-20° / 360°

ACCESSORIES
REMOTE TRANSFORMER REQUIRED
INTEGRATED DRIVER KIT AVAILABLE (SM-IT)



DEEP C

SUS | SM | REC




FINISH
WHITE / BLACK / CUST

LAMP
TRIDONIC CLE 80 / 160 / 315

SIZE / WATTAGE / CURRENT / LUMEN / INGRESS

150 / 12.6w / 500mA / 790 lm / IP22
210 / 14.6w / 350mA / 1570 lm / IP22
210 / 20.3w / 500mA / 2193 lm / IP22
310 / 20.5w / 500mA / 2238 lm / IP44
385 / 31.3w / 900mA / 3244 lm / IP44

LENS
OPAL V



PORT C

SUS | TRACK | SM




FINISH
WHITE / BLACK / CUST

LAMP
TRIDONIC STARK CLE 315

WATTAGE / CURRENT / LUMEN
17.5w / 500mA / 2103 lm
27.1w / 900mA / 3294 lm

LENS
OPAL

INGRESS RATING
IP44



MRS SPIN

SUS | SM



FINISH
WHITE / BLACK / CUST


LAMP
TRIDONIC CLE QUADRANT

SIZE / WATTAGE / CURRENT / LUMEN
600 | 29.3W | 225mA | 3520 lm

MOUNTING OPTIONS
SM / SUS

LENS
OPAL

INGRESS RATING
IP44






FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 2507 lm p/mtr
HO 43w / 4869 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22 / IP55 / IP68



GRAZER

REC | SUS | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
DPAL 20 / 40 / 60 24V
TRIDONIC STARK LLE 16mm HE 500mA

WATTAGE / LUMEN P/MTR
DPAL 20 7.8w / 313 lm p/mtr
DPAL 40 14.7w / 584 lm p/mtr
DPAL 60 17.7w / 649 lm p/mtr
STARK HE 33.0w / 2667 lm p/mtr


LENS
OPAL V
DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



SUPER MINI GRAZER

SR | SM



FINISH
WHITE / BLACK / SILVER / CUST


LAMP
DPAL 40 24V

WATTAGE / LUMEN P/MTR
16.0w / 977 lm p/mtr

LENS
OPAL V

DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



SLIM TRIM

REC




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 2203 lm p/mtr
HO 43w / 4321 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



HIP TRIM

REC




FINISH
WHITE / BLACK / SILVER / CUST


LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 2507 lm p/mtr
HO 43w / 4869 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22






FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 1755 lm p/mtr
HO 43w / 3441 lm p/mtr

LENS
OPAL V
COMBO DG / ASY

INGRESS RATING
IP22



WYN IT

SUS | REC | EDGE | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 16mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 33W / 2536 lm p/mtr
HO 43W / 3482 lm p/mtr


LENS
CLEAR (OPTIONAL) / IP44

INGRESS RATING
IP22



SUPER MINI EDGE

REC



FINISH
WHITE / BLACK / SILVER / CUST


LAMP
DPAL 40 24V

WATTAGE / LUMEN P/MTR
16.1w / 894 lm p/mtr

LENS
OPAL V


DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



HIP H LP

WALL | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 44w / 4963 lm p/mtr
HO 86w / 9687 lm p/mtr
UP + DOWN LIGHT



LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



TUBE

WALL | SUS | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 16mm
HE @ 500mA

WATTAGE / LUMEN P/MTR
HE 33w / 3996 lm p/mtr

LENS
OPAL V

INGRESS RATING
IP44



TRUE DELIVERED LUMENS | 90CRI STANDARD PREMIUM | OPTICAL ACCESSORIES | 10 YR WARRANTY

QUALITY & QUANTITY

DESIGNED TO PERFORM

DARKON
MADE IN MELBOURNE

TRIDONIC

LUXCONEX
ILLUMINATING CONNECTIONS

 **LUMASCAPE**

WYN IT WALL

WALL | SM



FINISH
WHITE / BLACK / SILVER / CUST


LAMP
TRIDONIC STARK LLE 16mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 33w / 2910 lm p/mtr
HO 43w / 3996 lm p/mtr

LENS
CLEAR (OPTIONAL) / IP44


DRIVER
INTEGRAL DRIVER

INGRESS RATING
IP22



HIP IP 68

SUS | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 2507 lm p/mtr
HO 43w / 4869 lm p/mtr

LENS
OPAL V

INGRESS / PROTECTION RATING
IP68 / IK10



SLIM C IP67

WALL | SUS | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
LUXCONEX SR CONT V LM20

WATTAGE / LUMEN P/MTR
HE 24w / 1293 lm p/mtr


DRIVER
REMOTELY LOCATED

INGRESS RATING
IP67



STRAIGHT T

WALL | SR | SM | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 23w / 2850 lm p/mtr
HO 43w / 5590 lm p/mtr

LENS
OPAL V

INGRESS RATING
IP44



GRAZER H

SUS



FINISH
WHITE / BLACK / SILVER / CUST


LAMP
DPAL 20 / 40 / 60 24V
TRIDONIC STARK LLE 16mm HE 500mA

WATTAGE / LUMEN P/MTR
DPAL 20- 15.6w / 626 lm p/mtr
DPAL 40- 29.4w / 1168 lm p/mtr
DPAL 60- 35.4w / 1298 lm p/mtr
STARK HE- 66.0w / 5334 lm p/mtr
UP AND DOWN LIGHT

LENS
OPAL V


DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



TRIM RADII

REC




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 23w / 1755 lm p/mtr
HO 43w / 3441 lm p/mtr

LENS
OPAL V

INGRESS RATING
IP22



MRS T G SOFT

WALL | SUS | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA - DOWNLIGHT
TRIDONIC STARK LLE 16mm
HE / HO @ 500mA - UPLIGHT

WATTAGE / LUMEN P/MTR
HE 56w / 5413 lm p/mtr
HO 76w / 7310 lm p/mtr
UP AND DOWN LIGHT

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



HUNG AIR

SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
LUXEON ARRAY LED

WATTAGE / CURRENT / LUMEN
75w | 350mA | 8892 lm

OPTICS
60°

INGRESS RATING
IP65



MRS C

SUS | SM




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC CLE QUADRANT

SIZE / WATTAGE / CURRENT / LUMEN
600 / 29.3w / 225mA / 3520 lm
900 / 59.0w / 450mA / 7094 lm
1200 / 107.0w / 250+450mA / 12481 lm


LENS
OPAL

INGRESS RATING
IP22



GRAZER

REC | SUS | SM



FINISH
WHITE / BLACK / SILVER / CUST


LAMP
DPAL 20 / 40 / 60 24V
TRIDONIC STARK LLE 16mm HE 500mA

WATTAGE / LUMEN P/MTR
DPAL 20- 7.8w / 313 lm p/mtr
DPAL 40- 14.7w / 584 lm p/mtr
DPAL 60- 17.7w / 649 lm p/mtr
STARK HE- 33.0w / 2667 lm p/mtr

LENS
OPAL V

DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



DARKON
THE EDGE OF LIGHT

C U R A T E & C O L L A B O R A T E



ARCHITECTURAL

I N - H O U S E P O W D E R C O A T I N G

igs.

NEW ENVIRONMENT FRIENDLY STATE-OF-THE-ART POWDER COATING FACILITY WITH A SUPERIOR COATED PRODUCT,
DELIVERED ON-TIME AND UTILISES A NON-CHROME BASED, CLOSED LOOP SYSTEM.

DEEPER DOWN

SR



FINISH
WHITE / BLACK / DUAL

LAMP
TRIDONIC SLE 10mm

WATTAGE / CURRENT / LUMEN P/MTR
11.6w | 250mA | 895lm
16.0w | 350mA | 1,179lm

OPTICS
24° / 32° / 50°

INCLINATION // ROTATION
0° - 30° / 360°

DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



SELECT C

REC



FINISH
WHITE / BLACK


LAMP
TRIDONIC STARK SLE 17

WATTAGE / CURRENT / LUMEN
14.6w / 350mA / 814 lm

OPTICS
20° / 50° / WALL WASH

INCLINATION // ROTATION
5° / 10° / 20° / 30° / 360°

INGRESS RATING
IP22



DEEP C

REC | SM | SUS




FINISH
WHITE / BLACK / DUAL

LAMP
TRIDONIC CLE 80 / 160 / 315

SIZE / WATTAGE / CURRENT / LUMEN / INGRESS
150 / 12.6w | 500mA / 790 lm | IP22
210 / 14.6w | 350mA / 1570 lm | IP22
210 / 20.3w | 500mA / 2193 lm | IP22
310 / 20.5w | 500mA / 2238 lm | IP44
385 / 31.3w | 900mA / 3244 lm | IP44

LENS
OPAL V



MRS T G SOFT

WALL




FINISH
WHITE / BLACK

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 23w / 1973 lm p/mtr
HO 43w / 3870 lm p/mtr

LENS
OPAL V
COMBO DG / ASY

INGRESS RATING
IP22



HIP SKIRT

SM | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 1487 lm p/mtr
HO 43w / 2915 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



MINI SKIRT

SM | SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 23w / 1727 lm p/mtr
HO 43w / 3388 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



SUPER MINI SKIRT

SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
DPAL 40 24V

WATTAGE / LUMEN P/MTR
16.0w / 831 lm p/mtr

DRIVER
REMOTELY LOCATED

INGRESS RATING
IP22



MRS MINI SKIRT

SUS




FINISH
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 23w / 1727 lm p/mtr
HO 43w / 3388 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



MRS T RADII RING

SM | SUS




FINISH
WHITE / BLACK / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 1755 lm p/mtr
HO 43w / 3441 lm p/mtr

LENS
OPAL V

INGRESS RATING
IP22



TRIM SOFT

REC




FINISH EXTERIOR
WHITE / BLACK / SILVER / CUST

LAMP
TRIDONIC STARK LLE 24mm
HE / HO @ 500mA

WATTAGE / LUMEN P/MTR
HE 22w / 1755 lm p/mtr
HO 43w / 3441 lm p/mtr

LENS
OPAL V
COMBO DG / ASY / NAR

INGRESS RATING
IP22



*ALL LUMEN DATA BASED OFF SYSTEM WATTAGE / EXIT LUMENS / WHITE FINISH / 4000K



SATURN RING




SHADE EXT
WHITE / BLACK

SHADE INT
GOLD / SILVER / COPPER

LAMP
DPAL 20 / 40 / 60 24v LED

SIZE / WATTAGE
100 / 27w / 53w / 81w
150 / 48w / 95w / 144w

DRIVER
REMOTELY LOCATED



BOY BALL LED




FINISH
WHITE / BLACK / BRASS / ANTIQUE BRONZE / CHROME

DIFFUSER
GLASS BALL + FROST ACRYLIC ROD

LAMP
COB LED

SIZE / WATTAGE
11 / 3.6w
13 / 3.6w
17 / 3.6w
20 / 3.6w

DRIVER
REMOTELY LOCATED



AMBIENT RING 2




FINISH EXT
WHITE / BLACK / ANTIQUE BRONZE / SILVER / GOLD

FINISH INT
WHITE + OPAL LENS

LAMP
DPAL 20 / 40 / 60 24v LED

SIZE / WATTAGE
90 / 38w / 70w / 116w
117 / 50w / 92w / 150w
135 / 58w / 114w / 172w
153 / 66w / 124w / 196w
175 / 74w / 142w / 224w

DRIVER
REMOTELY LOCATED



CHROME DOME WALL



FINISH
WHITE / BLACK / ANTIQUE BRONZE / CHROME

DIFFUSER
CLEAR ACRYLIC HEMISPHERE

LAMP
240v DIMMABLE COB LED

WATTAGE / VOLTAGE / LUMEN
5w / 240v / 303 lm

INGRESS RATING
IP22



EXHAUSTED LED 1




FINISH EXT
WHITE / BLACK / BRASS / ANTIQUE BRONZE / CHROME

FINISH INT
BRASS / WHITE / BLACK

LAMP
CREE XP-G2 350mA LED

WATTAGE
1w

DRIVER
REMOTELY LOCATED



STICK LIGHT




FINISH BODY
WHITE / BLACK / BRASS / ANTIQUE BRONZE / CHROME / SILVER / GOLD

DIFFUSER
OPAL ACRYLIC

LAMP
DPAL 40 24v LED

SIZE / WATTAGE
900 / 35w
1200 / 47w
1500 / 60w

DRIVER
REMOTELY LOCATED



SHADY LADY




SHADE EXT
WHITE / BLACK

SHADE INT
GOLD / SILVER / COPPER

LAMP
E27 240v LED FILAMENT

SIZE / WATTAGE
24 / 4w
39 / 8w
50 / 8w
61 / 8w



PRANDINI




FINISH EXT
BRASS / ANTIQUE BRONZE / CHROME

SHADE
WHITE PORCELAIN


LAMP
G4 BI-PIN

WATTAGE
2w LED
20w HALOGEN

TRANSFORMER
REMOTELY LOCATED



WRECKING BALL




FINISH BODY
WHITE / BLACK / BRASS / ANTIQUE BRONZE / CHROME / SILVER / GOLD

DIFFUSER
FROST / POLISHED / HALF FROST


LAMP
12v COB LED

WATTAGE
0.2w

DRIVER
REMOTELY LOCATED



TALL BOY GLASS




FINISH BODY
WHITE / BLACK / BRASS / ANTIQUE BRONZE / CHROME

DIFFUSER
PRESSED GLASS

LAMP
CREE XP-G2 350mA LED

WATTAGE
1w

DRIVER
REMOTELY LOCATED





SELF-LOK™
CONNECTION SYSTEM


CNC MACHINED LAPJOINT
SPIGOT FIT ENDCAP
ELIMINATES LIGHT BLEED
TOOL FREE CONNECTION
INSTALL - 20 MINS P/LM



BUTT JOIN
POTENTIAL
FOR LIGHT BLEED



LAP JOIN
'ECLIPSE'
THE LIGHT BLEED



**MADE IN
AUSTRALIA**



**ROUGH-IN MEETING & ONSITE SUPPORT
DURING INSTALLTION & HANDOVER**



**OUR TEAM OF A-GRADE ELECTRICIANS PROVIDE
AFTER SALES SUPPORT & ASSISTANCE DURING
THE DEFECT LIABILITY PERIOD**



**SHORT LEAD TIMES & QUICK TURN AROUND
FOR BOTH CUSTOM & CATALOGUE PRODUCT**



**COMPETITIVE PRICING FOR COMPLETE
LIGHTING PACKAGE SOLUTIONS, WITH FULL DESIGN
PRESENTATION SUPPORT & SERVICE**

